(in accordance with Regulation (EU) 2020/878)

PS003-BACTERVIN



Version 1 Date of compilation: 8/10/2015 Page 1 of 9
Version 7 (replaces version 6) Revision date: 28/03/2023 Print date: 28/03/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: BACTERVIN Product Code: PS003

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Preserving / antioxidants used in food processing industry.

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: PRODUCTOS AGROVIN, S.A.

Address: Avda. de los Vinos S.N.

City: 13600 - 13600 - Alcázar de San Juan

Province: Ciudad Real
Telephone: + 34 926 55 02 00
Fax: + 34 926 54 62 54
E-mail: calidad@agrovin.com
Web: www.agrovin.com

1.4 Emergency telephone number: (.

AGROVIN España

Address: Avda. De los Vinos s/n - P.I. Alces - 13600 - Alcázar de San Juan (Ciudad Real) - ESPAÑA

Tf: +34 926 550 200 E-mail: central@agrovin.com

Emergencias toxicológicas ESPAÑA: Instituto Nacional de Toxicología y Ciencias Forenses (INTCF)

Tf: +34 917689800

AGROVIN USA

Address: 572 Martin Ave, Suite A, Rohnert Park, CA 94928 - USA

Tf: +1 707-536-9934 E-mail: agrovinusa@agrovin.com

Toxicological emergencies USA: Chemtrec LLC

Adress: 900 Fairview Park Drive Falls Church, VA 22042-4513

Toll Free: +1(800)-424-9300 Local Number: +1(703)-527-3887

AGROVIN France

Address: Z.A.E. Via Europa 1, Rue de Bruxelles, - 34350 - Vendres - FRANCE

Tf: +33 (0) 467 940 262 E-mail: agrovinfrance@agrovin.com

Urgences toxicologiques FRANCE: ORFILA

Tf: +33 (0)1 45 42 59 59

AGROVIN Italia

Address: Via Ortigara 55, 37069 Villafranca di Verona (VR) - ITALY

Tf: +39 045 894 1335 E-mail: agrovinitalia@agrovin.com

Emergenze tossicologiche ITALY: Istituto Superiore di Sanità (ISS)

Tf: + 39 06 49902087

AGROVIN România

Address: Bucuresti, str. Elena Clucereasa, nr. 11, sector 1 PL: Otopeni, strada Spiru Haret, nr. 38 - ROMANIA

Tf: +40 0728 957 567

(in accordance with Regulation (EU) 2020/878)

PS003-BACTERVIN



E-mail: agrovinromania@agrovin.com

Urgen?e toxicologice ROMANI: National Institute for Public Health, Ministry of Health

Tf: +40213183606

)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008: Eye Dam. 1: Causes serious eye damage.

2.2 Label elements.

Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:



Signal Word:

Danger

Hazard statements:

H318 Causes serious eye damage.

Precautionary statements:

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/... P280

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/... P310

EUH statements:

EUH031 Contact with acids liberates toxic gas.

Contains:

dipotassium disulphite

2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

The product may have the following additional risks:

Dustiness.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

Identifiers Name	Concentrate	(*)Classification - Regulation (EC)
------------------	-------------	-------------------------------------

(in accordance with Regulation (EU) 2020/878)

PS003-BACTERVIN



Date of compilation: 8/10/2015 Version 1

Page 3 of 9 **Version 7 (replaces version 6) Revision date: 28/03/2023** Print date: 28/03/2023

			Classification	Specifics concentration limits and Acute toxicity estimate
CAS No: 16731-55-8 EC No: 240-795-3 Registration No: 01- 2119537422-45-XXXX	dipotassium disulphite	3 - 100 %	Eye Dam. 1, H318	-

^(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Contact with eyes may cause irreversible damage.

4.3 Indication of any immediate medical attention and special treatment needed.

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

SECTION 5: FIREFIGHTING MEASURES.

The product is NOT classified as flammable, in case of fire the following measures should be taken:

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

(in accordance with Regulation (EU) 2020/878)

PS003-BACTERVIN



Version 1 Date of compilation: 8/10/2015 Page 4 of 9
Version 7 (replaces version 6) Revision date: 28/03/2023 Print date: 28/03/2023

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Antioxidant

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
dipotassium disulphite	DNEL	Inhalation, Chronic, Systemic effects	263
CAS No: 16731-55-8	(Workers)		(mg/m³)
EC No: 240-795-3	`		, ,

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

8.2 Exposure controls.

(in accordance with Regulation (EU) 2020/878)

PS003-BACTERVIN



Version 1 Date of compilation: 8/10/2015

Page 5 of 9 **Version 7 (replaces version 6) Revision date: 28/03/2023** Print date: 28/03/2023

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Preserving / antioxidants used in food processing industry.	Concentration:	100 %
Presentating protection: PPFE: Particle filter mask CCEx marking, category III. Made of filtering material, it covers nose, mouth and chin. CEN standards: EN 149 Maintenance: Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use. Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment. PPE: Protective gloves. CEx marking, category II. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyviny chloride) Breakthrough time (min.): PPE: Face shield. CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. PSein protection: PPE: Protection: PPE: Protective: CEx marking, category II. Protective clothing work order not to obstruct the user's movements. Skin protection: PREservations: PREservations: Make sure that mobile parts move smoothly. CEN standards: EN 140, and part and par		
Characteristics: CEN standards: EN 149 Maintenance: Observations: Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment. PPE: Protective gloves. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) PPE: Face shield. Face shield. CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. Poservations: Skin protection: PPE: Protective clothing. CEN standards: EN 160, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. PRE: Protective: CEN marking, category II. Face and eye protector against splashing liquid. CEN standards: EN 166, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. PRE: Protective clothing. CEP marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: The protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer. The protective clothing should offer a level of comfort in line	Breathing protect	
CEN standards: EN 149 Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use. Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment. Filter Type needed: P2 Hand protection: PPE: Characteristics: CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breathrough time (min.): Fye protection: PPE: Face shield. Characteristics: CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame. Skin protection: PPE: Protective clothing. CEP marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protectived clothing, were manufacturer. CEP marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: PPE: Protective clothing, should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use	PPE:	Particle filter mask
Maintenance: Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use. Since it is disposable individual protection equipment, it should be replaced after use. Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment. PE: Hand protection: PPE: CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Observations: Observations: PVC (polyvinyl chloride) PVC (polyvinyl chloride) Breathrough time (min.): PPE: Face shield. Characteristics: CEN standards: EN 165, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame. Skin protection: PPE: PPE: Protective clothing. CEP marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protectived clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CEP marking, category II. This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear.	Characteristics:	
Observations: Should be replaced after use. Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment. PIET Type needed: Protective gloves. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. PVC (polyvinyl chloride) PEE: Face shield. CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. PEE: Skin protection: PPE: Protective: PPE: Protective: PPE: Protective: Protective: PPE: Protective: Protective: PPE: Protective: PPE: Protective: Protective: Protective: Protective: Protective: PPE: Protective: Protect	CEN standards:	EN 149
Suitable use of the equipment. PE: Protective gloves. CE» marking, category II. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may after their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) PPE: Face shield. CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. Observations: Skin protection: PPE: Protective clothing. CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CEN standards: EN 340 Maintenance: Under the user's movements. EN 340 CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: Under the user's movements. CEN standards: EN 150 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear.	Maintenance:	should be replaced after use.
PPE: Face shield. Characteristics: «CE» marking, category II. Protections: PVC (polyvinyl chioride) PPE: Face shield. Maintenance: EN 165, EN 166, EN 167, EN 168 Wisibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. PPE: Characteristics: «CE» marking, category II. Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: Protection: PPE: Protection: PPE: Face shield. Characteristics: «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: CEN standards: EN 340 Maintenance: Maintenance: Protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. «CE» marking, category II. EN 13 12387, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be use of because against any		suitable use of the equipment.
PPE: Characteristics: CEN standards: EN 374-1, EN 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time > 480 Material thickness (mm): PPE: Face shield. Characteristics: CEN araking, category II. Face and eye protector against splashing liquid. CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. PDE: Protective: Protective clothing. CEN standards: Protective clothing. CEN standards: EN 340 Maintenance: Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: The protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear: «CE» marking, category II. CROS standards: EN 50 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear of professional use includes protection elements aimed at protecting users against any		P2
Characteristics: CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time 480		_
Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Observations: Observations: Material: PVC (polyvinyl chloride) PVC (polyvinyl chloride) PVC (polyvinyl chloride) PPE: Face shield. CEP marking, category II. Face and eye protector against splashing liquid. CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame. Skin protection: PPE: Protective clothing. CEP marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CEPs marking, category II. EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any		
Maintenance: Observations: PVC (polyvinyl chloride) PVC (polyvinyl chloride) PVC (polyvinyl chloride) PPE: Face shield. Characteristics: CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. Pace shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame. Skin protection: PPE: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: CEN standards: EN 340 Maintenance: The protective clothing should offer a level of comfort in line with the level of protection provided in the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in the manufacturer. CEN standards: CEN standards: CEN standards: CEN standards: EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420
Material: PVC (polyvinyl chloride) Breakthrough time (min.): 0,35 Eye protection: PPE: Face shield. «CE» marking, category II. Face and eye protector against splashing liquid. (CE» standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. Pobservations: Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame. Skin protection: PPE: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: The protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. «CE» marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	Maintenance:	Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or
Fye protection: PPE: CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame. Skin protection: PPE: Characteristics: CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Characteristics: CEN standards: CEN stan	Observations:	
PPE: Face shield. Characteristics: «CE» marking, category II. Face and eye protector against splashing liquid. EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. Pace shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame. Skin protection: PPE: Protective clothing. CCE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: In protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CHaracteristics: CEN marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	Material:	PV($(\text{polyvinv} \text{chioride})$ $3 > 480$ 0.35
Characteristics: «CE» marking, category II. Face and eye protector against splashing liquid. CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame. Skin protection: PPE: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CES» marking, category II. EN 150 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	Eye protection:	
Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. Observations: Skin protection: PPE: Characteristics: CEN standards: Maintenance: The protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CEN standards: CEN sta		
Maintenance: be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame. Skin protection: PPE: Characteristics: CEN standards: Maintenance: Deservations: PPE: Work footwear. CEN standards: CEN st	CEN standards:	EN 165, EN 166, EN 167, EN 168
Skin protection: PPE: Protective clothing. Characteristics: CEN standards: EN 340 Maintenance: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	Maintenance:	be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move
PPE: Protective clothing. Characteristics: CEN standards: EN 340 Maintenance: The protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. EN 15O 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	Observations:	
Characteristics: CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: CEN standards: Maintenance: Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	Skin protection:	
order not to obstruct the user's movements. CEN standards: Maintenance: Maintenance: Dispervations: Order not to obstruct the user's movements. EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CEP marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	PPE:	Protective clothing.
Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: CE» marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	Characteristics:	
the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: CEN standards: EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	CEN standards:	
Observations: terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	Maintenance:	the manufacturer.
Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any		terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.
CEN standards: Maintenance: Maintenance: Observations: EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	1	
not be used by other people. Observations: Not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any		EN ISO 13287, EN 20347
Uncert/ations:	Maintenance:	
	Observations:	, , , , , , , , , , , , , , , , , , , ,

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.


9.1 Information on basic physical and chemical properties.

Physical state: Solid - Dust Colour: brown powder

Odour: Not applicable/Not available due to the nature/properties of the product Odour threshold: Not applicable/Not available due to the nature/properties of the product Melting point: Not applicable/Not available due to the nature/properties of the product

(in accordance with Regulation (EU) 2020/878)

PS003-BACTERVIN



Version 7 (replaces version 6) Revision date: 28/03/2023 Print date: 28/03/2023

Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: > 60 °C

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product

Decomposition temperature: 150 °C

pH: 3.8 - 4.6 (5%)

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Not applicable/Not available due to the nature/properties of the product

Hydrosolubility: 450 g/l (20 °C)

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: Not applicable/Not available due to the nature/properties of the product Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 2.3

Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

9.2 Other information

Not applicable/Not available due to the nature/properties of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

Contact with acids liberates toxic gas.

10.2 Chemical stability.

Unstable in contact with:

- Bases.

10.3 Possibility of hazardous reactions.

Neutralization can occur on contact with bases.

10.4 Conditions to avoid.

- Avoid contact with bases.

10.5 Incompatible materials.

Avoid the following materials:

- Bases.

10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- Corrosive vapors or gases.

SECTION 11: TOXICOLOGICAL INFORMATION.


11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

Splatters in the eyes can cause irritation and reversible damage.

Toxicological information about the substances present in the composition.

Nome	Acute toxicity			
Name	Туре	Test	Kind	Value
	Oral	LD50	Rat	2300 mg/kg bw
dipotassium disulphite	Dermal	LD50	Rat	> 2000 mg/kg
CAS No: 16731-55-8 EC No: 240-795-3	Inhalation	LD50	Rat	> 5.5 mg/l (4 h)

a) acute toxicity;



agrovin

Page 6 of 9

(in accordance with Regulation (EU) 2020/878)

PS003-BACTERVIN



Not conclusive data for classification.

b) skin corrosion/irritation;

Not conclusive data for classification.

c) serious eye damage/irritation;

Product classified:

Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

Name	Ecotoxicity			
Name	Туре	Test	Kind	Value
	Fish	LC50	Brachydanio rerio (Danio rerio)	460 - 1000 mg/l (96 h)
dipotassium disulphite	Aquatic invertebrates	CE50	Dphania Magna	89 mg/l (48 h)
	Aquatic plants	CE50	Scenedesmus subspicatus	43.8 mg/l (2 h)
CAS No: 16731-55-8 EC No: 240-795-3				

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name	Bioaccumulation
------	-----------------

agrovin

(in accordance with Regulation (EU) 2020/878)

PS003-BACTERVIN



Page 8 of 9

Version 1 Date of compilation: 8/10/2015

Version 7 (replaces version 6) Revision date: 28/03/2023 Print date: 28/03/2023

	Log Pow	BCF	NOECs	Level
dipotassium disulphite	_			.,
CAS No: 16731-55-8 EC No: 240-795-3	-4	-	-	Very low

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

14.1 UN number or ID number.

Transportation is not dangerous.

14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport. IMDG: Not classified as hazardous for transport.

ICAO/IATA: Not classified as hazardous for transport.

14.3 Transport hazard class(es).

Transportation is not dangerous.

14.4 Packing group.

Transportation is not dangerous.

14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

14.6 Special precautions for user.

Transportation is not dangerous.

14.7 Maritime transport in bulk according to IMO instruments.

Transportation is not dangerous.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

(in accordance with Regulation (EU) 2020/878)

PS003-BACTERVIN



Version 1 Date of compilation: 8/10/2015 Page 9 of 9
Version 7 (replaces version 6) Revision date: 28/03/2023 Print date: 28/03/2023

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

The product is not affected by Directive 2012/18/EU (SEVESO III).

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Classification codes:

Eye Dam. 1 : Serious eye damage, Category 1

Changes regarding to the previous version:

- Change in the emergency number (SECTION 1.4).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Addition of ecological information values (SECTION 12.3).
- Removal of the exposure scenarios (SECTION 15.2).
- Addition of abbreviations and acronyms (SECTION 16).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data
Health hazards Calculation method
Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration.
PPE: Personal protection equipment.
LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

NOEC: No observed effect concentration.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2020/878. Regulation (EC) No 1907/2006.

Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.