(in accordance with Regulation (EU) 2020/878)

# MP001-SULPHUR DIOXIDE



Date of compilation: 12/03/2019 Version 1

Page 1 of 11 Print date: 28/03/2023 **Version 6 (replaces version 5) Revision date: 15/03/2023** 

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

SULPHUR DIOXIDE Product Name:

Product Code: MP001

Chemical Name: sulphur dioxide Index No: 016-011-00-9 CAS No: 7446-09-5 EC No: 231-195-2

01-2119485028-34-0000 Registration No:

## 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Preserving / antioxidants used in food processing industry.

## Uses advised against:

Uses other than those recommended.

## 1.3 Details of the supplier of the safety data sheet.

PRODUCTOS AGROVIN, S.A. Company:

Address: Avda. de los Vinos S.N.

13600 - 13600 - Alcázar de San Juan City:

Province: Ciudad Real Telephone: + 34 926 55 02 00 + 34 926 54 62 54 Fax: E-mail: calidad@agrovin.com Web: www.agrovin.com

## 1.4 Emergency telephone number: (.

AGROVIN España

Address: Avda. De los Vinos s/n - P.I. Alces - 13600 - Alcázar de San Juan (Ciudad Real) - ESPAÑA

+34 926 550 200 central@agrovin.com F-mail:

Emergencias toxicológicas ESPAÑA: Instituto Nacional de Toxicología y Ciencias Forenses (INTCF)

Tf: +34 917689800

AGROVIN USA

Address: 572 Martin Ave, Suite A, Rohnert Park, CA 94928 - USA

+1 707-536-9934 Tf: agrovinusa@agrovin.com

Toxicological emergencies USA: Chemtrec LLC

Adress: 900 Fairview Park Drive Falls Church, VA 22042-4513

Toll Free: +1(800)-424-9300 Local Number: +1(703)-527-3887

**AGROVIN France** 

Address: Z.A.E. Via Europa 1, Rue de Bruxelles, - 34350 - Vendres - FRANCE

Tf: +33 (0) 467 940 262 agrovinfrance@agrovin.com F-mail:

Urgences toxicologiques FRANCE: ORFILA

Tf: +33 (0)1 45 42 59 59

AGROVIN Italia

Address: Via Ortigara 55, 37069 Villafranca di Verona (VR) - ITALY

+39 045 894 1335 Tf: E-mail: agrovinitalia@agrovin.com

Emergenze tossicologiche ITALY: Istituto Superiore di Sanità (ISS)

(in accordance with Regulation (EU) 2020/878)

## MP001-SULPHUR DIOXIDE

Date of compilation: 12/03/2019 Version 1

Page 2 of 11 **Version 6 (replaces version 5)** Revision date: 15/03/2023 Print date: 28/03/2023

Tf: + 39 06 49902087

AGROVIN România

Address: Bucuresti, str. Elena Clucereasa, nr. 11, sector 1 PL: Otopeni, strada Spiru Haret, nr. 38 - ROMANIA

Tf: +40 0728 957 567

agrovinromania@agrovin.com F-mail:

Urgen?e toxicologice ROMANI: National Institute for Public Health, Ministry of Health

Tf: +40213183606

)

## **SECTION 2: HAZARDS IDENTIFICATION.**

#### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

Acute Tox. 3: Toxic if inhaled.

Press. Gas: Contains gas under pressure; may explode if heated. Skin Corr. 1B: Causes severe skin burns and eye damage.

#### 2.2 Label elements.

## Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:







## Signal Word:

# **Danger**

Hazard statements:

H280 Contains gas under pressure; may explode if heated.

Causes severe skin burns and eye damage. H314

H331 Toxic if inhaled.

## Precautionary statements:

Do not breathe dust/fume/gas/mist/vapours/spray. P260

P264 Wash ... thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/... P280

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/... P321 Specific treatment (see ... on this label).

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

## Contains:

sulphur dioxide

## 2.3 Other hazards.

The substance is not PBT The substance is not vPvB

Substance does not have endocrine disrupting properties.

The product may have the following additional risks:

Suffocation.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.**

(in accordance with Regulation (EU) 2020/878)

# MP001-SULPHUR DIOXIDE



Date of compilation: 12/03/2019 Version 1

Page 3 of 11 **Version 6 (replaces version 5)** Revision date: 15/03/2023 Print date: 28/03/2023

#### 3.1 Substances.

			(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate
Index No: 016-011- 00-9 CAS No: 7446-09-5 EC No: 231-195-2	sulphur dioxide	5 - 100 %	Acute Tox. 3, H331 - Press. Gas, H280 - Skin Corr. 1B, H314	-

#### 3.2 Mixtures.

Not Applicable.

## **SECTION 4: FIRST AID MEASURES.**

#### 4.1 Description of first aid measures.

Immediate medical attention is required. It is recommended to move the affected person out of the exposure area. Delayed effects may occur after the exposure to the product.

## Inhalation.

It may cause asphyxia at high concentrations. Asphyxia can lead to loss of consciousness or mobility. Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration. Do not administer anything orally. If unconscious, place them in a suitable position and seek medical assistance. The use of personal protective equipment is recommended for people providing first aid (see section 8).

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

Do not rub affected areas. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

### Ingestion.

This route of exposure is unlikely.

## 4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Toxic Product, accidental contact may result in serious respiratory difficulties, alteration of the central nervous system and in extreme cases, unconsciousness. Immediate medical assistance is required.

## 4.3 Indication of any immediate medical attention and special treatment needed.

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Keep the person comfortable. Turn him/her over to the left side and stay there while waiting for medical care.

## **SECTION 5: FIREFIGHTING MEASURES.**

In case of fire, as a general hazard, heat can cause containers to explode.

## 5.1 Extinguishing media.

### Suitable extinguishing media:

Extinguisher powder or CO2.

## Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

(in accordance with Regulation (EU) 2020/878)

# MP001-SULPHUR DIOXIDE



Date of compilation: 12/03/2019 Version 1

Page 4 of 11 Print date: 28/03/2023 **Version 6 (replaces version 5)** Revision date: 15/03/2023

## 5.2 Special hazards arising from the substance or mixture. Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

During a fire and depending on its magnitude the following may occur:

- Toxic vapors or gases.
- Explosions.

## 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Follow the instructions given in the emergency or fire evacuation plan or plans if available. Move containers away from the area if there is no danger in doing so. Keep away from containers and continue cooling them from a safe place.

#### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots. During extinction and depending on the magnitude and proximity to the fire, additional protective equipment such as chemical protection gloves, heat-reflecting suits or gas-tight suits may be required.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

#### 6.1 Personal precautions, protective equipment and emergency procedures.

Isolate the area and ensure adequate ventilation. Stockpiling in basements, pits or any confined space or depressed area can be hazardous. Use a self-contained breathing apparatus when the atmosphere is not suitable to be breathed. For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

# 6.3 Methods and material for containment and cleaning up.

Use soapsuds to detect small leaks. Stop the leak if this can be done safely. Ensure adequate ventilation to prevent the accumulation of gases or vapours.

En caso de que el gas condense:

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant. Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

## 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

## **SECTION 7: HANDLING AND STORAGE.**

#### 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Pressurised gases must be handled by suitably trained and experienced individuals. Use equipment suitable for supply pressure and temperature. Protect containers against physical damage and keep valves clean and in perfect condition. Do not tamper with original packaging.

## 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. It must not be stored under conditions conducive to corrosion of the container. Protect containers against physical damage and inspect them regularly to ensure they are in good condition.

Classification and threshold amount of storage in accordance with Annex I to Directive 2012/18/EU (SEVESO III):

(in accordance with Regulation (EU) 2020/878)

# MP001-SULPHUR DIOXIDE



Version 1 Date of compilation: 12/03/2019

Page 5 of 11 **Version 6 (replaces version 5)** Revision date: 15/03/2023 Print date: 28/03/2023

		Qualifying quantity (tonnes) for the application of	
Code	Description	Lower-tier requirements	Upper-tier requirements
H2	ACUTE TOXIC	50	200

## 7.3 Specific end use(s).

Antioxidant

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**

### 8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m³
		European Union [1]	Eight hours	0,5	1,3
	7446-09-5		Short term	1	2,7
		Éire [2]	Eight hours	0,5	1,3
			Short term	1	2,7
culphur diovido		United States [3] (Cal/OSHA)	Eight hours	2	
sulphur dioxide			Short term	5	
		United States [4] (NIOSH)	Eight hours	2	
			Short term	5	
		United States	Eight hours	5	13
		[5] (OSHA)	Short term		

<sup>[1]</sup> According both Binding Occupational Esposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
sulphur dioxide	DNEL	Inhalation, Chronic, Local effects	1,3
CAS No: 7446-09-5	(Workers)		(mg/m³)
EC No: 231-195-2			

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

## 8.2 Exposure controls.

## Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	Preserving / antioxidants used in food processing industry.
Breathing protect	tion:
PPE:	Filter mask for protection against gases and particles.
Characteristics:	«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.
CEN standards:	EN 136, EN 140, EN 405
Maintenance:	Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor.

<sup>[2]</sup> According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

<sup>[3]</sup> California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

<sup>[4]</sup> National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

<sup>[5]</sup> Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

The product does NOT contain substances with Biological Limit Values.

(in accordance with Regulation (EU) 2020/878)

# MP001-SULPHUR DIOXIDE



Date of compilation: 12/03/2019 Version 1

Page 6 of 11 **Version 6 (replaces version 5)** Revision date: 15/03/2023 Print date: 28/03/2023

Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach Observations: the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols:

P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.

Filter Type needed:

Hand protection:

Non-disposable protective gloves against chemicals. PPF.

«CE» marking, category III. Check the list of chemicals for which the glove has Characteristics:

been tested.

CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420

A schedule for the periodical replacement of gloves should be established in order to guarantee their Maintenance: replacement before pollutants permeate them. The use of contaminated gloves could be more dangerous

than not using gloves, since the pollutant can gradually accumulate in the glove's material.

They are to be replaced whenever tears, cracks or deformations are observed or when exterior dirt could Observations:

reduce their strength.

Breakthrough time Material thickness Material: PVC (polyvinyl chloride) > 480 0,35 (min.): (mm):

Eve protection:

If the product is handled correctly, no individual protection equipment is necessary.

Skin protection:

PPF: Chemical protective clothing

«CE» marking, category III. Clothing should fit properly. The level of protection

Characteristics: must be set according to a test parameter called BT (Breakthrough Time), which

indicates how long it takes for the chemical to pass through the material.

EN 464,EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034 CEN standards: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by

Maintenance: the manufacturer.

The protective clothing's design should facilitate correct positioning, staying in place without moving for Observations:

the period of use expected, bearing in mind environmental factors as well as any movement or position

the user might adopt while carrying out the activity.

PPF: Anti-static safety footwear against chemicals.

«CE» marking, category III. Check the list of chemicals against which the footwear Characteristics:

is resistant.

EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20344, EN ISO CEN standards:

20345

For correct maintenance of this kind of safety footwear, it is necessary to observe the instructions specified by the manufacturer. The footwear should be replaced as soon as any sign of damage is Maintenance:

observed.

The footwear should be cleaned regularly and dried when damp, although it should not be placed too Observations:

close to a source of heat in order to avoid any sharp changes in temperature.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

# 9.1 Information on basic physical and chemical properties.

Physical state: Gas - liquefied

Colour: Not applicable/Not available due to the nature/properties of the product

Odour: Not applicable/Not available due to the nature/properties of the product

Odour threshold: Not applicable/Not available due to the nature/properties of the product Melting point: Not applicable/Not available due to the nature/properties of the product

Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product

Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: Not applicable/Not available due to the nature/properties of the product

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

pH: Not applicable/Not available due to the nature/properties of the product

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Not applicable/Not available due to the nature/properties of the product

Hydrosolubility: Not applicable/Not available due to the nature/properties of the product

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: Not applicable/Not available due to the nature/properties of the product

(in accordance with Regulation (EU) 2020/878)

## MP001-SULPHUR DIOXIDE



Date of compilation: 12/03/2019 Version 1

Page 7 of 11 **Version 6 (replaces version 5)** Revision date: 15/03/2023 Print date: 28/03/2023

Absolute density: Not applicable/Not available due to the nature/properties of the product Relative density: Not applicable/Not available due to the nature/properties of the product Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

#### 9.2 Other information

Not applicable/Not available due to the nature/properties of the product

## **SECTION 10: STABILITY AND REACTIVITY.**

#### 10.1 Reactivity.

If the storage conditions are satisfied, does not produce dangerous reactions.

#### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

## 10.3 Possibility of hazardous reactions.

Contains gas under pressure; may explode if heated.

## 10.4 Conditions to avoid.

Avoid the following conditions:

- Heating.
- Shocks.

#### 10.5 Incompatible materials.

Avoid the following materials:

- Flammable materials.
- Explosives materials.
- Corrosive materials.

## 10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

## **SECTION 11: TOXICOLOGICAL INFORMATION.**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

Splatters in the eyes can cause irritation and reversible damage.

## Toxicological information.

Name		Acute toxicity			
		Туре	Test	Kind	Value
		Oral			
sulphur dioxide		Dermal			
CAS No: 7446-09-5	EC No: 231-195-2	Inhalation	LC50	Rat	2520 ppm (1 h)

a) acute toxicity;

Product classified:

Acute toxicity (Inhalation), Category 3: Toxic if inhaled.

b) skin corrosion/irritation;

Product classified:

Skin Corrosive, Category 1B: Causes severe skin burns and eye damage.

c) serious eye damage/irritation;

Not conclusive data for classification.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

(in accordance with Regulation (EU) 2020/878)

# MP001-SULPHUR DIOXIDE



Date of compilation: 12/03/2019 Version 1

Page 8 of 11 **Version 6 (replaces version 5)** Revision date: 15/03/2023 Print date: 28/03/2023

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

#### 11.2 Information on other hazards.

#### **Endocrine disrupting properties**

This product does not contain components with endocrine-disrupting properties with effects on human health.

#### **Other information**

There is no information available on other adverse health effects.

## **SECTION 12: ECOLOGICAL INFORMATION.**

## 12.1 Toxicity.

Name -		Ecotoxicity				
		Туре	Test	Kind	Value	
sulphur dioxide		Fish	LD50	Atlantic menhaden Breboortia tyrannus	3.200 ug/l (1 h)	
		Aquatic invertebrates				
CAS No: 7446-09-5	EC No: 231-195-2	Aquatic plants	LD50	Salvenus esp.	5000 ppm (1 h)	

## 12.2 Persistence and degradability.

No information is available regarding the biodegradability

No information is available on the degradability

No information is available about persistence and degradability of the product.

The product evaporates quickly and enters the gas phase at room temperature. Information on its persistence and degradability is not relevant.

## 12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation.

# 12.4 Mobility in soil.

No information is available about the mobility in soil.

Soil or water contamination is unlikely due to high volatility of the product.

## 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

## 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

(in accordance with Regulation (EU) 2020/878)

## MP001-SULPHUR DIOXIDE



Date of compilation: 12/03/2019 Version 1

Page 9 of 11 **Version 6 (replaces version 5)** Revision date: 15/03/2023 Print date: 28/03/2023

#### 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

## **SECTION 13: DISPOSAL CONSIDERATIONS.**

#### 13.1 Waste treatment methods.

Dispose of packaging through the supplier. Transport, unloading, treatment or disposal activities may be subject to additional local/national legislation. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

## **SECTION 14: TRANSPORT INFORMATION.**

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

Sea: Transport by ship: IMDG.

Transport documentation: Bill of lading Air: Transport by plane: ICAO/IATA. Transport document: Airway bill.

#### 14.1 UN number or ID number.

UN No: UN1079

## 14.2 UN proper shipping name.

Description:

ADR/RID: UN 1079, SULPHUR DIOXIDE, 2.3 (8), (C/D) IMDG: UN 1079, SULPHUR DIOXIDE, 2.3 (8)

ICAO/IATA: **PROHIBITED** 

## 14.3 Transport hazard class(es).

Class(es): 2

## 14.4 Packing group.

Packing group: Not applicable.

## 14.5 Environmental hazards.

Marine pollutant: No

Transport by ship, FEm - Emergency sheets (F - Fire, S - Spills): F-C,S-U

## 14.6 Special precautions for user.

Labels: 2.3, 8





Hazard number: 268 ADR LQ: 0 IMDG LO: 0

ICAO LQ: Not applicable.

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Proceed in accordance with point 6.

## 14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

(in accordance with Regulation (EU) 2020/878)

# MP001-SULPHUR DIOXIDE



Date of compilation: 12/03/2019 Version 1

Page 10 of 11 Print date: 28/03/2023 **Version 6 (replaces version 5)** Revision date: 15/03/2023

## **SECTION 15: REGULATORY INFORMATION.**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): H2

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

## 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## **SECTION 16: OTHER INFORMATION.**

Classification codes:

Acute Tox. 3: Acute toxicity (Inhalation), Category 3 Press. Gas: Gases under pressure, Liquefied Skin Corr. 1B: Skin Corrosive, Category 1B

Changes regarding to the previous version:

- Change in the emergency number (SECTION 1.4).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Removal of the exposure scenarios (SECTION 15.2).

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CFN: European Committee for Standardization.

Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be DMEL:

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration. PPE: Personal protection equipment. IATA: International Air Transport Association. ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

Lethal concentration, 50%. LC50:

LD50: Lethal dose, 50%.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2020/878.

(in accordance with Regulation (EU) 2020/878)

# **MP001-SULPHUR DIOXIDE**



Version 1 Date of compilation: 12/03/2019 Page 11 of 11
Version 6 (replaces version 5) Revision date: 15/03/2023 Print date: 28/03/2023

Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.