

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

PS014-COMPAKCEL 300



Version 1 Date of compilation: 1/01/2012
Version 5 (replaces version 4)

Revision date: 09/06/2022

Page 1 of 11
Print date: 28/03/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: COMPAKCEL 300
Product Code: PS014

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Filter for food processing industries, chemical and pharmaceutical

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: **PRODUCTOS AGROVIN, S.A.**
Address: Avda. de los Vinos S.N.
City: 13600 - 13600 - Alcázar de San Juan
Province: Ciudad Real
Telephone: + 34 926 55 02 00
Fax: + 34 926 54 62 54
E-mail: calidad@agrovin.com
Web: www.agrovin.com

1.4 Emergency telephone number: (.

AGROVIN España

Address: Avda. De los Vinos s/n - P.I. Alces - 13600 - Alcázar de San Juan (Ciudad Real) - ESPAÑA
Tf: +34 926 550 200
E-mail: central@agrovin.com

Emergencias toxicológicas ESPAÑA: Instituto Nacional de Toxicología y Ciencias Forenses (INTCF)
Tf: +34 917689800

AGROVIN USA

Address: 572 Martin Ave, Suite A, Rohnert Park, CA 94928 - USA
Tf: +1 707-536-9934
E-mail: agrovinusa@agrovin.com

Toxicological emergencies USA: Chemtrec LLC

Address: 900 Fairview Park Drive Falls Church, VA 22042-4513
Toll Free: +1(800)-424-9300
Local Number: +1(703)-527-3887

AGROVIN France

Address: Z.A.E. Via Europa 1, Rue de Bruxelles, - 34350 - Vendres - FRANCE
Tf: +33 (0) 467 940 262
E-mail: agrovinfrance@agrovin.com

Urgences toxicologiques FRANCE: ORFILA

Tf : +33 (0)1 45 42 59 59

AGROVIN Italia

Address: Via Ortigara 55, 37069 Villafranca di Verona (VR) - ITALY
Tf: +39 045 894 1335
E-mail: agrovinitalia@agrovin.com

Emergenze tossicologiche ITALY: Istituto Superiore di Sanità (ISS)

Tf: + 39 06 49902087

AGROVIN România

Address: Bucuresti, str. Elena Clucereasa, nr. 11, sector 1 PL: Otopeni, strada Spiru Haret, nr. 38 - ROMANIA
Tf: +40 0728 957 567

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

PS014-COMPAKCEL 300



Version 1 Date of compilation: 1/01/2012

Version 5 (replaces version 4)

Revision date: 09/06/2022

Page 2 of 11

Print date: 28/03/2023

E-mail: agrovinromania@agrovin.com

Urgen?e toxicologice ROMANI: National Institute for Public Health, Ministry of Health

Tf: +40213183606

)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

STOT RE 2 : May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements.

Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:



Signal Word:

Warning

Hazard statements:

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container to ...

Contains:

crystaline silica

crystalline silica: Quartz (SiO₂) (respirable fraction)

2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

The product may have the following additional risks:

Dustiness.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

Identifiers	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	Specifics concentration limits and Acute toxicity estimate

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

PS014-COMPAKCEL 300



Version 1 Date of compilation: 1/01/2012

Version 5 (replaces version 4)

Revision date: 09/06/2022

Page 3 of 11

Print date: 28/03/2023

CAS No: 14464-46-1 EC No: 238-455-4 Registration No: Exempt	[2] cristobalite	10 - 50 %	STOT RE 2, H373	-
CAS No: 9004-34-6 EC No: 232-674-9 Registration No: Exempt	[2] Cellulose	10 - 25 %	-	-
CAS No: 68855-54-9 EC No: 272-489-0 Registration No: Exempt	[2] Kieselguhr, soda ash flux-calcined	1 - 10 %	-	-
CAS No: 14808-60-7 EC No: 238-878-4 Registration No: Exempt	[2] crystalline silica: Quartz (SiO ₂) (respirable fraction)	1 - 10 %	STOT RE 2, H373	STOT RE 2, H373: 1% ≤ C < 10%
CAS No: 14808-60-7 EC No: 238-878-4 Registration No: Exempt	[2] Quartz (SiO ₂)	2.5 - 10 %	-	-

(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

[2] Substance with a national workplace exposure limit (see section 8.1).

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Don't let the person to rub the affected eye.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Long-term chronic exposure may result in injury to certain organs or tissues.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Keep the person comfortable. Turn him/her over to the left side and stay there while waiting for medical care.

SECTION 5: FIREFIGHTING MEASURES.

The product is NOT classified as flammable, in case of fire the following measures should be taken:

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO₂. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

PS014-COMPAKCEL 300



Version 1 Date of compilation: 1/01/2012

Version 5 (replaces version 4)

Revision date: 09/06/2022

Page 4 of 11

Print date: 28/03/2023

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Filtration media

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m ³
------	---------	---------	-------------	-----	-------------------

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

PS014-COMPAKCEL 300



Version 1 Date of compilation: 1/01/2012
Version 5 (replaces version 4)

Revision date: 09/06/2022

Page 5 of 11
Print date: 28/03/2023

cristobalite	14464-46-1	United States [1] (Cal/OSHA)	Eight hours		0.05 respirable dust	
			Short term			
		United States [2] (NIOSH)	Eight hours		Potential occupational carcinogens 0.05 respirable dust, lowest feasible concentration (LFC).	
			Short term			
		United States [3] (OSHA)	Eight hours		1/2 the value calculated from the count or mass formulae for quartz: (Total Dust) 30 mg/m ³ /(%SiO ₂ +2), (Respirable) 10 mg/m ³ /(%SiO ₂ +2), 250/(%SiO ₂ +5) (mppcf:Millions of particles per cubic foot of air, based on impinger samples counted by light-field techniques. Conversion factors - mppcf X 35.3 = million particles per cubic meter = particles per c.c.)	
			Short term			
Cellulose	9004-34-6	United Kingdom [4]	Eight hours		10 (inhalable dust) 4 (respirable)	
			Short term		20 (inhalable dust)	
		Éire [5]	Eight hours		10	
			Short term			
		United States [1] (Cal/OSHA)	Eight hours		10 (Total dust) 5 (Respirable fraction)	
			Short term			
		United States [2] (NIOSH)	Eight hours		10 (Total dust) 5 (Respirable fraction)	
			Short term			
		United States [3] (OSHA)	Eight hours		15 (Total dust) 5 (Respirable fraction)	
			Short term			
		Kieselguhr, soda ash flux-calcined	68855-54-9	Éire [5]	Eight hours	
			Short term			
crystalline silica: Quartz (SiO ₂) (respirable fraction)	14808-60-7	Éire [5]	Eight hours		0,1	
			Short term			

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



PS014-COMPAKCEL 300

Version 1 Date of compilation: 1/01/2012
Version 5 (replaces version 4)

Revision date: 09/06/2022

Page 6 of 11
Print date: 28/03/2023

		United States [1] (Cal/OSHA)	Eight hours		0.05
			Short term		
		United States [2] (NIOSH)	Eight hours		Potential occupational carcinogens 0.05
			Short term		
		United States [3] (OSHA)	Eight hours		10 mg/m ³ /(%SiO ₂ +2), 250/(%SiO ₂ +5) (mppcf:Millions of particles per cubic foot of air, based on impinger samples counted by light-field techniques. Conversion factors - mppcf X 35.3 = million particles per cubic meter = particles per c.c.)
			Short term		
Quartz (SiO ₂)	14808-60-7	Éire [5]	Eight hours		0,1
			Short term		
		United States [1] (Cal/OSHA)	Eight hours		0.05 respirable dust, 0.3 (Total Dust)
			Short term		
		United States [2] (NIOSH)	Eight hours		Potential occupational carcinogens 0.05 respirable dust, lowest feasible concentration (LFC).
			Short term		
		United States [3] (OSHA)	Eight hours		(Total Dust) 30 mg/m ³ /(%SiO ₂ +2)
			Short term		

[1] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

[2] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

[3] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

[4] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adopted by Health and Safety Executive.

[5] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

The product does NOT contain substances with Biological Limit Values.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	Filter for food processing industries, chemical and pharmaceutical
Breathing protection:	

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



PS014-COMPAKCEL 300




Version 1 Date of compilation: 1/01/2012

Version 5 (replaces version 4)

Revision date: 09/06/2022

Page 7 of 11

Print date: 28/03/2023

PPE:	Particle filter mask		
Characteristics:	«CE» marking, category III. Made of filtering material, it covers nose, mouth and chin.		
CEN standards:	EN 149		
Maintenance:	Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use.		
Observations:	Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment.		
Filter Type needed:	P2		
Hand protection:			
PPE:	Protective gloves.		
Characteristics:	«CE» marking, category II.		
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420		
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.		
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.		
Material:	PVC (polyvinyl chloride)	Breakthrough time (min.): > 480	Material thickness (mm): 0,35
Eye protection:			
PPE:	Face shield.		
Characteristics:	«CE» marking, category II. Face and eye protector against splashing liquid.		
CEN standards:	EN 165, EN 166, EN 167, EN 168		
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly.		
Observations:	Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame.		
Skin protection:			
PPE:	Protective clothing.		
Characteristics:	«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.		
CEN standards:	EN 340		
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.		
Observations:	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.		
PPE:	Work footwear.		
Characteristics:	«CE» marking, category II.		
CEN standards:	EN ISO 13287, EN 20347		
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.		
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Physical state: Solid - Dust

Colour: beige

Odour: Inodoro

Odour threshold: Not applicable/Not available due to the nature/properties of the product

Melting point: > 1000 °C

Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product

Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: > 60 °C

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

PS014-COMPAKCEL 300



Version 1 Date of compilation: 1/01/2012

Version 5 (replaces version 4)

Revision date: 09/06/2022

Page 8 of 11

Print date: 28/03/2023

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product
Decomposition temperature: Not applicable/Not available due to the nature/properties of the product
pH: 6 - 7.5 (1%)
Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product
Solubility: Not applicable/Not available due to the nature/properties of the product
Hydrosolubility: Insoluble
Liposolubility: Not applicable/Not available due to the nature/properties of the product
Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product
Vapour pressure: Not applicable/Not available due to the nature/properties of the product
Absolute density: Not applicable/Not available due to the nature/properties of the product
Relative density: 0.345 - 0.355
Relative vapour density: Not applicable/Not available due to the nature/properties of the product
Particle characteristics: Not applicable/Not available due to the nature/properties of the product

9.2 Other information

Not applicable/Not available due to the nature/properties of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid any improper handling.

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on hazard classes as defined in Regulation (EC) N° 1272/2008.

There are no tested data available on the product.

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Not conclusive data for classification.

c) serious eye damage/irritation;

Not conclusive data for classification.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

PS014-COMPAKCEL 300



Version 1 Date of compilation: 1/01/2012

Version 5 (replaces version 4)

Revision date: 09/06/2022

Page 9 of 11

Print date: 28/03/2023

h) STOT-single exposure;
Not conclusive data for classification.

i) STOT-repeated exposure;
Product classified:
Specific target organ toxicity following a repeated exposure, Category 2: May cause damage to organs through prolonged or repeated exposure.

j) aspiration hazard;
Not conclusive data for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

PS014-COMPAKCEL 300



Version 1 Date of compilation: 1/01/2012

Version 5 (replaces version 4)

Revision date: 09/06/2022

Page 10 of 11

Print date: 28/03/2023

14.1 UN number or ID number.

Transportation is not dangerous.

14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport.

IMDG: Not classified as hazardous for transport.

ICAO/IATA: Not classified as hazardous for transport.

14.3 Transport hazard class(es).

Transportation is not dangerous.

14.4 Packing group.

Transportation is not dangerous.

14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

14.6 Special precautions for user.

Transportation is not dangerous.

14.7 Maritime transport in bulk according to IMO instruments.

Transportation is not dangerous.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

The product is not affected by Directive 2012/18/EU (SEVESO III).

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H373 May cause damage to organs through prolonged or repeated exposure.

Classification codes:

STOT RE 1 : Specific target organ toxicity following a repeated exposure, Category 1

STOT RE 2 : Specific target organ toxicity following a repeated exposure, Category 2

Changes regarding to the previous version:

- Changes in the information of the supplier (SECTION 1.3).
- Change in the emergency number (SECTION 1.4).
- Modification of specific hazards (SECTION 2.3).
- Changes in the composition of the product (SECTION 3.2).
- Modification in the firefighting measures (SECTION 5.2).

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

PS014-COMPAKCEL 300



Version 1 Date of compilation: 1/01/2012

Version 5 (replaces version 4)

Revision date: 09/06/2022

Page 11 of 11

Print date: 28/03/2023

- Modifications in the accidental release measures (SECTION 6.1).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Change in the hazard classification (SECTION 11.1).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC)

1272/2008 [CLP]:

Physical hazards	On basis of test data
Health hazards	Calculation method
Environmental hazards	Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

CEN: European Committee for Standardization.

PPE: Personal protection equipment.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2020/878.

Regulation (EC) No 1907/2006.

Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.