

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## PS063-GALITAN REDOX



Version 1 Date of compilation: 1/08/2018  
Version 3 (replaces version 2)

Revision date: 13/06/2022

Page 1 of 9  
Print date: 28/03/2023

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: GALITAN REDOX  
Product Code: PS063  
Chemical Name: Tannins  
CAS No: 1401-55-4  
EC No: 215-753-2  
Registration No: Exempt

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Stabilizer of colour and structure used in enology industry.

#### Uses advised against:

Uses other than those recommended.

#### 1.3 Details of the supplier of the safety data sheet.

Company: **PRODUCTOS AGROVIN, S.A.**  
Address: Avda. de los Vinos S.N.  
City: 13600 - 13600 - Alcázar de San Juan  
Province: Ciudad Real  
Telephone: + 34 926 55 02 00  
Fax: + 34 926 54 62 54  
E-mail: calidad@agrovin.com  
Web: www.agrovin.com

#### 1.4 Emergency telephone number: (.

AGROVIN España

Address: Avda. De los Vinos s/n - P.I. Alces - 13600 - Alcázar de San Juan (Ciudad Real) - ESPAÑA

Tf: +34 926 550 200

E-mail: central@agrovin.com

Emergencias toxicológicas ESPAÑA: Instituto Nacional de Toxicología y Ciencias Forenses (INTCF)

Tf: +34 917689800

AGROVIN USA

Address: 572 Martin Ave, Suite A, Rohnert Park, CA 94928 - USA

Tf: +1 707-536-9934

E-mail: agrovinusa@agrovin.com

Toxicological emergencies USA: Chemtrec LLC

Address: 900 Fairview Park Drive Falls Church, VA 22042-4513

Toll Free: +1(800)-424-9300

Local Number: +1(703)-527-3887

AGROVIN France

Address: Z.A.E. Via Europa 1, Rue de Bruxelles, - 34350 - Vendres - FRANCE

Tf: +33 (0) 467 940 262

E-mail: agrovinfrance@agrovin.com

Urgences toxicologiques FRANCE: ORFILA

Tf : +33 (0)1 45 42 59 59

AGROVIN Italia

Address: Via Ortigara 55, 37069 Villafranca di Verona (VR) - ITALY

Tf: +39 045 894 1335

E-mail: agrovinitalia@agrovin.com

Emergenze tossicologiche ITALY: Istituto Superiore di Sanità (ISS)

Tf: + 39 06 49902087

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## PS063-GALITAN REDOX



Version 1 Date of compilation: 1/08/2018  
Version 3 (replaces version 2)

Revision date: 13/06/2022

Page 2 of 9  
Print date: 28/03/2023

AGROVIN România

Address: Bucuresti, str. Elena Clucereasa, nr. 11, sector 1 PL: Otopeni, strada Spiru Haret, nr. 38 - ROMANIA

Tf: +40 0728 957 567

E-mail: agrovinromania@agrovin.com

Urgen?e toxicologice ROMANI: National Institute for Public Health, Ministry of Health

Tf: +40213183606

)

### SECTION 2: HAZARDS IDENTIFICATION.

#### 2.1 Classification of the substance or mixture.

The product is not classified as hazardous within the meaning of Regulation (EC) No 1272/2008.

#### 2.2 Label elements.

The product is not classified as hazardous.

#### 2.3 Other hazards.

The substance is not PBT

The substance is not vPvB

Substance does not have endocrine disrupting properties.

The product may have the following additional risks:

Dustiness.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

#### 3.1 Substances.

Identifiers	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	Specifics concentration limits and Acute toxicity estimate
CAS No: 1401-55-4 EC No: 215-753-2	Tannins	75 - 100 %	-	-

#### 3.2 Mixtures.

Not Applicable.

### SECTION 4: FIRST AID MEASURES.

#### 4.1 Description of first aid measures.

Due to the composition and type of the substances present in the product, no particular warnings are necessary.

##### Inhalation.

If breathing stops, give artificial respiration and seek immediate medical attention. Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

##### Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

##### Skin contact.

Remove contaminated clothing.

##### Ingestion.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## PS063-GALITAN REDOX



Version 1 Date of compilation: 1/08/2018  
Version 3 (replaces version 2)

Revision date: 13/06/2022

Page 3 of 9  
Print date: 28/03/2023

Keep calm. NEVER induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

### SECTION 5: FIREFIGHTING MEASURES.

#### 5.1 Extinguishing media.

##### Suitable extinguishing media:

Extinguisher powder or CO<sub>2</sub>. In case of more serious fires, also alcohol-resistant foam and water spray.

##### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

#### 5.2 Special hazards arising from the substance or mixture.

##### Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

#### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account.

##### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

### SECTION 6: ACCIDENTAL RELEASE MEASURES.

#### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

#### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

### SECTION 7: HANDLING AND STORAGE.

#### 7.1 Precautions for safe handling.

The product does not require special handling measures, the following general measures are recommended:

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## PS063-GALITAN REDOX



Version 1 Date of compilation: 1/08/2018  
Version 3 (replaces version 2)

Revision date: 13/06/2022

Page 4 of 9  
Print date: 28/03/2023

### 7.2 Conditions for safe storage, including any incompatibilities.

The product does not require special storage measures. As general storage measures, sources of heat, radiation, electricity and contact with food should be avoided.

Keep away from oxidising agents and from highly acidic or alkaline materials.

Store the containers between 5 and 35 °C, in a dry and well-ventilated place.

Store according to local legislation. Observe indications on the label. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

### 7.3 Specific end use(s).

Not available.




## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

### 8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

### 8.2 Exposure controls.

#### Measures of a technical nature:

<b>Concentration:</b>	<b>100 %</b>		
<b>Uses:</b>	<b>Stabilizer of colour and structure used in enology industry.</b>		
<b>Breathing protection:</b>			
PPE:	Particle filter mask		
Characteristics:	«CE» marking, category III. Made of filtering material, it covers nose, mouth and chin.		
CEN standards:	EN 149		
Maintenance:	Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use.		
Observations:	Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment.		
Filter Type needed:	P2		
<b>Hand protection:</b>			
PPE:	Protective gloves.		
Characteristics:	«CE» marking, category II.		
CEN standards:	EN 374-1, EN 374-2, EN 374-3, EN 420		
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.		
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.		
Material:	PVC (polyvinyl chloride)	Breakthrough time (min.): > 480	Material thickness (mm): 0,35
<b>Eye protection:</b>			
PPE:	Face shield.		
Characteristics:	«CE» marking, category II. Face and eye protector against splashing liquid.		
CEN standards:	EN 165, EN 166, EN 167, EN 168		
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly.		
Observations:	Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame.		
<b>Skin protection:</b>			
PPE:	Protective clothing.		
Characteristics:	«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.		
CEN standards:	EN 340		

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## PS063-GALITAN REDOX

Version 1 Date of compilation: 1/08/2018

Version 3 (replaces version 2)

Revision date: 13/06/2022

Page 5 of 9

Print date: 28/03/2023

Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.
Observations:	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.
PPE:	Work footwear.
Characteristics:	«CE» marking, category II.
CEN standards:	EN ISO 13287, EN 20347
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

#### 9.1 Information on basic physical and chemical properties.

Physical state: Solid - Dust

Colour: brown powder

Odour: Característico

Odour threshold: Not applicable/Not available due to the nature/properties of the product

Melting point: Not applicable/Not available due to the nature/properties of the product

Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product

Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: 198 °C

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product

Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

pH: 2.5 - 4.5 (1%)

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Not applicable/Not available due to the nature/properties of the product

Hydrosolubility: Not applicable/Not available due to the nature/properties of the product

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: Not applicable/Not available due to the nature/properties of the product

Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: Not applicable/Not available due to the nature/properties of the product

Relative vapour density: Not applicable/Not available due to the nature/properties of the product

Particle characteristics: Not applicable/Not available due to the nature/properties of the product

#### 9.2 Other information

Not applicable/Not available due to the nature/properties of the product

### SECTION 10: STABILITY AND REACTIVITY.

#### 10.1 Reactivity.

The product does not present hazards by their reactivity.

#### 10.2 Chemical stability.

Unstable in contact with:

- Bases.

#### 10.3 Possibility of hazardous reactions.

Neutralization can occur on contact with bases.

#### 10.4 Conditions to avoid.

- Avoid contact with bases.

#### 10.5 Incompatible materials.

Avoid the following materials:

- Bases.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## PS063-GALITAN REDOX



Version 1 Date of compilation: 1/08/2018

Version 3 (replaces version 2)

Revision date: 13/06/2022

Page 6 of 9

Print date: 28/03/2023

### 10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- Corrosive vapors or gases.

## SECTION 11: TOXICOLOGICAL INFORMATION.

### 11.1 Information on hazard classes as defined in Regulation (EC) N° 1272/2008.

#### Toxicological information.

Name	Acute toxicity			
	Type	Test	Kind	Value
Tannins  CAS No: 1401-55-4    EC No: 215-753-2	Oral	LD50	Rat	2260 mg/kg bw [1]
		[1] Toxicology of Drugs and Chemicals, Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 571, 1969		
	Dermal			
	Inhalation			

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Not conclusive data for classification.

c) serious eye damage/irritation;

Not conclusive data for classification.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

### 11.2 Information on other hazards.

#### Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

#### Other information

There is no information available on other adverse health effects.

## SECTION 12: ECOLOGICAL INFORMATION.

### 12.1 Toxicity.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## PS063-GALITAN REDOX



Version 1 Date of compilation: 1/08/2018  
Version 3 (replaces version 2)

Revision date: 13/06/2022

Page 7 of 9  
Print date: 28/03/2023

Name	Ecotoxicity			
	Type	Test	Kind	Value
Tannins  CAS No: 1401-55-4    EC No: 215-753-2	Fish	LC50	Fish	73,9 mg/l (96 h) [1]
		[1] Somanath, B. 1991. Effect of Acute Sublethal Concentration of Tannic Acid on the Protein, Carbohydrate and Lipid Levels in the Tissues of the Fish Labeo rohita. J.Environ.Biol. 12(2):107-112		
	Aquatic invertebrates			
	Aquatic plants			

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability  
No information is available on the degradability  
No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation.

### 12.4 Mobility in soil.

No information is available about the mobility in soil.  
The product must not be allowed to go into sewers or waterways.  
Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

### 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS.

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.  
Follow the provisions of Directive 2008/98/EC regarding waste management.

## SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## PS063-GALITAN REDOX

Version 1 Date of compilation: 1/08/2018

Version 3 (replaces version 2)

Revision date: 13/06/2022

Page 8 of 9

Print date: 28/03/2023

### 14.1 UN number or ID number.

Transportation is not dangerous.

### 14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport.

IMDG: Not classified as hazardous for transport.

ICAO/IATA: Not classified as hazardous for transport.

### 14.3 Transport hazard class(es).

Transportation is not dangerous.

### 14.4 Packing group.

Transportation is not dangerous.

### 14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEM – Emergency sheets (F – Fire, S - Spills): Not applicable.

### 14.6 Special precautions for user.

Transportation is not dangerous.

### 14.7 Maritime transport in bulk according to IMO instruments.

Transportation is not dangerous.

## SECTION 15: REGULATORY INFORMATION.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

The product is not affected by Directive 2012/18/EU (SEVESO III).

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## SECTION 16: OTHER INFORMATION.

Changes regarding to the previous version:

- Changes in the information of the supplier (SECTION 1.3).
- Change in the emergency number (SECTION 1.4).
- Modification of specific hazards (SECTION 2.3).
- Modifications in the first aid measures (SECTION 4.1).
- Modification in the firefighting measures (SECTION 5.2).
- Modifications in the accidental release measures (SECTION 6.1).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Change in the hazard classification (SECTION 11.1).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC)

#### 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health hazards	Calculation method
Environmental hazards	Calculation method

-Continued on next page.-



# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## PS063-GALITAN REDOX



Version 1 Date of compilation: 1/08/2018

Version 3 (replaces version 2)

Revision date: 13/06/2022

Page 9 of 9

Print date: 28/03/2023

It is recommended that the product only be employed for the purposes advised.

#### Abbreviations and acronyms used:

CEN: European Committee for Standardization.  
EC50: Half maximal effective concentration.  
PPE: Personal protection equipment.  
LC50: Lethal concentration, 50%.  
LD50: Lethal dose, 50%.

#### Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2020/878.

Regulation (EC) No 1907/2006.

Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.