

**TOLVA DOSIFICADORA
VIBRANTE
FABRICADA EN ACERO INOX
Modelo TVD**

MESA DOSIFICADORA VIBRANTE
TABLE DE DOSAGE VIBRANTE



EV
ENOVENETA
TECNOLOGIE ENOLOGICHE

MESA DOSIFICADORA VIBRANTE | TABLE DE DOSAGE VIBRANTE

CARACTERÍSTICAS DE SERIE:

- Telaio in acciaio inox AISI 304
- Vasca vibrante in acciaio inox AISI 304 completa di griglia di sgrondo liquido con asole di 2 mm
- Vaschetta di recupero in acciaio inox AISI 304
- Quadro elettrico con voltaggio standard 400/3/50

ACCESORIOS:


- Tramoggia in acciaio inox AISI 304 per scarico bins
- Variatore di velocità elettronico
- Griglia forata con asole da 6 mm
- Griglia a tondini con distanza 4 o 6 mm
- Supporto appoggia cassette

CARCTÉRISTIQUE DE SÉRIE:

- AISI 304 stainless steel frame
- AISI 304 stainless steel vibrating basin complete of draining mesh with 2 mm slots
- AISI 304 stainless steel collecting basin
- Electric panel 400/3/50

OPTIONS:

- AISI 304 stainless steel hopper for bins unloading
- Electronic speed variator
- Draining mesh with 6 mm slots
- Rebars draining mesh with 4 or 6 mm
- Box support


DATOS TÉCNICOS | DONNÉES TECHNIQUES

		TVD	TVD MAXI
Potencia motor <i>Puissance moteur</i>	kW	0.34	0.55
Salida por hora <i>Débit horaire</i>	Ton/h	2/10	2/10
Longitud de la mesa <i>Longueur de la table</i>	mm	1200	1500
Ancho de la mesa <i>Largeur de la table</i>	mm	670	1000
Altura de salida <i>Hauteur de sortie</i>	mm	1000	950

DIMENSIONI | DIMENSIONS

Longitud <i>Longueur</i>	mm	1260	1420
Profundidad <i>Profondeur</i>	mm	1170	1860
Altura <i>Hauteur</i>	mm	1350	1350
Peso <i>Poids</i>	Kg	155	250

Las fotos, las mediciones y los datos operativos son aproximativos, no son legalmente vinculantes y están sujetos a cambios sin previo aviso.
Les photos, les mesures et les données d'exploitation sont approximatives, non contraignantes et sujettes à modification sans préavis.



